



***Complete Product and Accessories Catalog
For Cutters Edge Fire Rescue Saws***

MULTI-CUT® Fire Rescue Saw

CE101C Concrete Cutting Chainsaw

CE735R Rotary Rescue Saw

Rescue Saw Field Kits

Replacement Parts


Accessories

Table of Contents

Cutters Edge MULTI-CUT® Fire Rescue Saw	3
CE2171 Series (71cc Engine)	3
CE2165 Series (65cc Engine)	3
CE2171 Series (71 cc Engine)	3
CE2165 Series (65cc Engine)	3
Cutters Edge Guide Bars For All MULTI-CUT® Fire Rescue Saws	4, 18
Cutters Edge D8 Tool-Less Guard/Depth Gauge Kit For 2100 Series MULTI-CUT® Fire Rescue Saws	4, 18
Cutters Edge D6 Tool-Less Guard/Depth Gauge Kit For 2100 Series MULTI-CUT® Fire Rescue Saws	4, 18
Cutters Edge BULLET® Chain	4, 19
Tools Needed for Making BULLET® Chain Loops from Rolls	5, 19
Tree Cutting Chain	5, 19
Cutters Edge MULTI-CUT® Fire Rescue Saw Field Kit	5, 15
Tool Sling	6, 20
Universal Guard Depth/Gauge	6, 18
Scrench Tool For Cutters Edge MULTI-CUT® Fire Rescue Saws	6, 21
Scrench Tool For Cutters Edge 600 & 2000 Series MULTI-CUT® Fire Rescue Chainsaws	6, 21
Maintenance Wall Poster for 2100 Series MULTI-CUT® Fire Rescue Saws	6, 21
Spark Plug	7, 20
Cutters Edge Bar & Chain Oil	7, 23
Cutters Edge Synthetic 2-Cycle Oil (100:1)	7, 23
Four-Stage Air Filter For All Cutters Edge MULTI-CUT® Fire Rescue Chainsaws	7, 22
Pre-Filter Cover For 4-Stage Air Filter	7, 22
Cutters Edge Concrete Saw	8
CE101C Concrete Saw	8
CE101C Concrete Saw Guide Bar	8, 18
GCP SealPro™ Diamond Chain for CE101C Concrete Saw	8, 19
CE101C Concrete Sawing Field Kit	9, 16
Tool Sling for CE101C Concrete Saw	10, 20
Scrench Tool for CE101C Concrete Saw	10, 21
CE101C Concrete Saw Air Filter Recharger Kit	10, 23
Water Pump for CE101C Concrete Saw	10, 23
Air Filter for CE101C Concrete Saw	10, 22
Spark Plug for CE101C Concrete Saw	11, 20
Non-Aerosol Lubricant	11, 24
Cutters Edge MULTI-CUT® Rotary Rescue Saw	12
CE735R MULTI-CUT® Rotary Rescue Saw	12
CE735R Black Star Diamond Blade	12, 20
MULTI-CUT® Rotary Rescue Saw Field Kit	13, 17
Tool Sling for CE735R Rotary Rescue Saw	13, 20
Scrench Tool for MULTI-CUT CE735R Rotary Rescue Saw	13, 21
Spark Plug for CE735R Rotary Rescue Saw	14, 20
Air Filter for CE735R Rotary Rescue Saw	14, 22
Pre-Wrap Filter for CE735R Rotary Rescue Saw Air Filter	14, 22
Drive Belt for CE735R Rotary Rescue Saw	14, 23
Rescue Saw Field Kits	15
Replacement Parts	18
Accessories	25
Ordering Information	26

The Cutters Edge MULTI-CUT® Fire Rescue Saw is designed and built specifically for the Fire Rescue Service to deliver 100% reliable high performance cutting in the extreme conditions of the fire rescue environment. Each MULTI-CUT® Fire Rescue Saw comes equipped with our exclusive BULLET® Chain, the only chain designed specifically for ventilation, forcible entry and rescue operations. The BULLET® Chain cuts faster, safer and lasts up to 20 times longer than standard chains. In addition, each saw comes with our exclusive Tool-Less Guard/Depth Gauge for maximum operator safety and precise cutting depths.


CE2171 Series (71cc Engine)



CE2171 MULTI-CUT® Fire Rescue Saw with BULLET® Chain and Guard/Depth Gauge

Part Numbers:
 CE2171RSD6A
 (16" Guide Bar)
 CE2171RSD8A
 (20" Guide Bar)

CE2165 Series (65cc Engine)



CE2165 MULTI-CUT® Fire Rescue Saw With BULLET® Chain and Guard/Depth Gauge

Part Numbers:
 CE2165RSD6
 (16" Guide Bar)
 CE2165RSD8
 (20" Guide Bar)


CE2171 Series (71 cc Engine)



Cutters Edge 2171 MULTI-CUT® Fire Rescue Saw With BULLET® Chain and Steel Alloy Guide Bar Available in 12", 16" and 20" lengths.

Part Numbers:
 CE2171RS12A (12")
 CE2171RS16A (16")
 CE2171RS20A (20")

CE2165 Series (65cc Engine)



Cutters Edge 2165 MULTI-CUT® Fire Rescue Saw With BULLET® Chain and Steel Alloy Guide Bar Available in 12", 16" and 20" lengths.

Part Numbers:
 CE2165RS12A (12")
 CE2165RS16A (16")
 CE2165RS20A (20")

Cutters Edge Guide Bars For All MULTI-CUT® Fire Rescue Saws



High strength Steel Alloy Guide Bar
Available in 12", 16" and 20" lengths.

Part Numbers:
CE2063ST (20")
CE1663ST (16")
CE1263ST (12")

Cutters Edge D8 Tool-Less Guard/Depth Gauge Kit For 2100 Series MULTI-CUT® Fire Rescue Saws



Cutters Edge D8 Tool-Less Guard/Depth Gauge installs and removes quickly and easily without tools and adjusts in seconds, even with gloves on. The Guard/Depth Gauge provides maximum operator safety and prevents cutting deeper than necessary.

Part Number:
CE2100-D8KITA (D8)
For 20" Guide Bar



Cutters Edge D6 Tool-Less Guard/Depth Gauge for 2100 Series MULTI-CUT® Fire Rescue Saws



Cutters Edge D6 Tool-Less Guard/Depth Gauge installs and removes quickly and easily without tools and adjusts in seconds, even with gloves on. The Guard/Depth Gauge provides maximum operator safety and prevents cutting deeper than necessary.

Part Number:
CE2100-D6KITA (D6)
For 16" Guide Bar

Cutters Edge Carbide Tipped BULLET® Chain



The Cutters Edge BULLET® Chain is designed specifically for Fire Department ventilation, forcible entry and rescue operations. It lasts up to 20 times longer than standard chains and certified tests show it is the safest chain made, virtually eliminating kickback.

The patented BULLET® Chain is a solid piece of metal with a sintered carbide insert that creates a larger cutting surface and has unique characteristics that reduce carbide breakage while cutting, resulting in longer chain life. Note: The BULLET® Chain can be inexpensively repaired and sharpened many times throughout its life.


Part Numbers:
CEBUL66A
(20" Chain Loop)
CEBUL56A
(16" Chain Loop)
CEBUL48A
(12" Chain Loop)



Cutters Edge BULLET® Chain is also available in Continuous Reels with the parts needed (pre-sets and tie straps) to make chain loops.

Part Numbers:
CEBULX25A (25 Ft.)
CEBULX50A (50 Ft.)
CEBULX100A (100 Ft.)


Tools Needed for Making BULLET® Chain Loops from Rolls



Chain Spinner, BULLET® Chain Anvil and Chain Breaker

Part Numbers:
 CECS1025E
 (Chain Spinner)
 CECB1020E
 (Chain Breaker)
 CEANVBUL
 (BULLET® Chain Anvil)

Tree Cutting Chain



Tree Cutting Chain available in 12, 16 and 20" lengths.

.404 Pitch/.063 Gauge for Cutters Edge Saws to replace the BULLET® Chain for faster tree cutting.

Part Numbers:
 CE27-48A (12")
 CE27-56A (16")
 CE27-66A (20")

Cutters Edge MULTI-CUT® Fire Rescue Saw Field Kit



Specifications:

Kit Container Dimensions: 41L x 15W x 14H (inches)

Total Kit Weight: 70 pounds

Includes everything needed for Fire Rescue Cutting in any circumstances.

Diamond Plate Aluminum Field Case with custom compartments to hold kit parts securely in place plus lockable Twist-Lock Closures. (CESCMCK)

Operation Maintenance Manuals and Warranty

- 1 MULTI-CUT® Fire Rescue Saw with BULLET® Chain and Tool-Less Guard/Depth Gauge.

- Complete Tool Kit:

- Grease Gun
- Grease Packet
- Air Filter
- Pre-Wrap Filter
- 1 Foam Filter Dressing for Air Filter and Pre-Filter
- 1- 8oz 2-cycle Oil (100:1)
- 1- CJ7Y Spark Plug
- 1 Saw Sling Carry Strap
- 1¼ Gallon Fuel Container
- 1 BULLET® Chain (spare)
- 2 Tree Cutting Chains
- 3 Quarts Bar & Chain Oil
- 2 Guide Bar Attachment Nuts

Part Numbers:
 CE2171MCKD6A
 CE2171MCKD8A
 CESCMCK
 CEOM2100
 CE2171RSD6A (16")
 CE2171RSD8A (20")
 501911401
 503621201
 CERU2100
 CEPW6571
 CEUFF104
 CEATCO8
 CECJTY
 CETS10
 CEW120
 CEBUL56A - 16"
 CEBUL66A - 20"
 CE27-56A - 16"
 CE27-66A - 20"
 CEABC01
 503220001

Tool Sling



The Cutters Edge Tool Sling is designed to work with all saws. The Tool Sling is adjustable to the height or positioning of the operator and hooks to itself rather than the saw by D-Rings and Snap Hooks on the Tool Sling for optimum comfort and ease of use.

Part Number:
CETS10

Universal Guard Depth/Gauge



The Cutters Edge Universal Guard/Depth Gauge fits all brands, models and sizes of chainsaws and installs quickly and easily to enhance operator safety and increase the ease and speed of cutting. The Kit includes instructions, two cobalt drill bits and an Allen Wrench. Just drill two holes, screw in one screw and you are ready to cut.

Part Number:
CEUNIKITA

Srench Tool For Cutters Edge MULTI-CUT® Fire Rescue Saws



Flat Blade

All purpose adjustment and maintenance tool for 2100 Series MULTI-CUT® Fire Rescue Saws.

Part Number:
501691701

Srench Tool For Cutters Edge 600 & 2000 Series MULTI-CUT® Fire Rescue Chainsaws



Allen Head Ball Driver

All purpose adjustment and maintenance Tool for 600 & 2000 Series MULTI-CUT® Fire Rescue Saws

Part Number:
CE2000-12A

Maintenance Wall Poster for 2100 Series MULTI-CUT® Fire Rescue Saws




32" x 48" Poster provides visual step-by-step maintenance procedures for proper maintenance of 2100 Series MULTI-CUT® Fire Rescue Saw. Poster is laminated to protect it when hung over cleaning repair and maintenance bench.

Maintenance Poster also available for 2000 Series Saws

Part Numbers:
CEPOSTER-2100

CEPOSTER-2000

Cutters Edge Bar & Chain Oil



Cutters Edge High Tack, Anti-Sling and Anti-Corrosion Bar & Chain Oil is an all-season lubricant for saw bars and chain and is designed specifically for the harsh fireground environment. Provides superior lubrication and protections for all makes and models of chainsaws.

Part Number:
CEABC01
1 Quart Bottle of
Bar & Chain Oil
CEABC01CA
Case of 12 - 1 Quart
Plastic Bottles

Cutters Edge Synthetic 2-Cycle Oil (100:1)



A premium synthetic oil designed to provide superior lubrication and optimum performance for all Cutters Edge Fire Rescue Saws and all 2-cycle engines used in the Fire Rescue Industry. Also provides superior lubrication and performance for all makes and models of chainsaws. Each 8 ounce bottle mixes 6 gallons of fuel.

Part Number:
CEATC08
8 ounce Plastic Bottle
CEATC08CA
Case of 12 - 8 ounce
Plastic Bottles of
Cutters Edge Synthetic
2-Cycle Oil

Four-Stage Air Filter For All Cutters Edge MULTI-CUT® Fire Rescue Chainsaws



Cutters Edge exclusive Air Filtration System has 211.4 square inches of surface area, enabling Cutters Edge Fire Rescue Saws to run up to 12 times longer than other saws in the hot, smoky fireground conditions. Filters out particles less than 1 micron in size.

Part Number:
CERU2100

Pre-Filter Cover For 4-Stage Air Filter



Pre-filter goes over the Four-Stage Multi-Filter and is designed to stop larger particles and enhance effectiveness of main filter to protect engine and reduce maintenance.

Part Number:
CEPW6571

Spark Plug for CE2171/CE2165 Series MULTI-CUT® Fire Rescue Saw



Replacement Spark Plug is easy to install with Srench Tool

Part Number:
CECJ7Y

Cutters Edge Gasoline Powered Concrete Cutting Chainsaw is equipped with an internally water cooled guide bar and GCP SealPro™ Diamond Chain and cuts reinforced concrete up to 16-inches thick. The CE101C is highly portable and uses only one water line to cool and lubricate the chain and prevent concrete dust while cutting.

CE101C Concrete Saw



The CE101C is available with 14" and 16" Guide Bar.

Part Numbers:

CE101C14A
(with 14" Guide Bar)
CE101C16A
(with 16" Guide Bar)

CE101C Concrete Saw Guide Bar



The internally water cooled guide bar provides longer life and smoother operation. Concrete Saw Guide Bars are available in 14" and 16" lengths.

Part Numbers:


IC71600
16" Guide Bar
IC70825
14" Guide Bar



Cut-Away View of Interior Water Galleries

This unique interior design includes seven water galleries that provide a constant, pressurized flow of water from inside out that keeps the diamond chain cool and prevents concrete dust while cutting.


GCP SealPro™ Diamond Chain for CE101C Concrete Saw



The GCP SealPro™ Diamond Chain has the largest cutting diamond segment available for a gasoline powered chainsaw and cuts reinforced concrete up to 16-inches thick plus a wide range of materials like masonry brick, concrete block, natural stone and abrasive concrete.

Part Numbers:

IC71694
(16" GCP SealPro™
Diamond Chain)
IC71688
(14" GCP SealPro™
Diamond Chain)



Micro-sized O-Rings inserted into each joint in the chain keep out sand and slurry during cutting. The unique design results in longer chain life, reduced chain stretch and the need for tensioning adjustments. In addition, the design reduces the required water pressure to only 20 psi.

CE101C Concrete Sawing Field Kit



Specifications:

Total Weight: 130 pounds

Dimensions: 45L x 19W x 19H (inches)

24-piece Field Kit includes everything needed for concrete cutting anywhere, using any water source available.

Kits contain 14" CE101C Concrete Saw.
16" Concrete Saw Kit currently not available

- | | |
|---|--|
| • Diamond Plate Aluminum Case with dividers, pull-out tray and lockable Twist-Lock Closures | CESSCSK |
| • 1 CE101C 14" or 16" Gasoline Powered Concrete Cutting Chainsaw with GCP Premium SealPro™ Diamond Chain | CE101C14A (14")
CE101C16A (16") |
| • (1) CE 40-100 Water Pump | CE40-100 |
| • (1) ½" x 8 ft. Suction Hose | CESH15X8 |
| • (1) ½" Check Valve (Foot Valve) | CEFV15 |
| • (1) Hand Priming Pump | CEHPP |
| • (1) ½" Thread Protector (nps) | CETP15 |
| • (1) 1½" (nps) Female x ¾" (ght)* Male Adapter/Thread Protector | CEFM15X75 |
| • (1) 1½" (nps) Female x 1½" (nst) Male Adapter | CEFM15X15 |
| • (1) ¾" x ¾" FHT Brass Hose to Hose Connector | CEFF75X75 |
| • (1) ¾" x 25 ft. 250 psi Myti-Flo Woven Hose | CEHOSE75x25 |
| • (1) ¾" x 75 ft. 250 psi Myti-Flo Woven Hose | CEHOSE75X75 |
| • (1) 2½" Female x ¾" (ght)* Male Adapter | CEFGHT25X75 |
| • (1) 1½" Female x ¾" (ght)* Male Adapter | CEFGHT15X75 |
| • 1" Female x ¾"(ght)* Male Adapter | CEFGHT10X75 |
| • (1) Hydrant Wrench | CEHYD |
| • (1) 1¼ Gallon Fuel Container (UL Approved) | CEW120 |
| • (1) 3 Gallon Fuel Container (UL Approved) with 6 ft. Fuel Line Primer Bulb and Quick Connect Connectors, for up to 12 hours of Full Load Pump Operation | CE620003-Container
CE180050 Fuel Line |
| • (1) 8 oz Bottle - Cutters Edge 2-cycle Oil Mix (makes 6 gallons of fuel) | CEATC08 |
| • (1) Air Filter Recharger Kit | CE5050 |
| • (1) Spray Can of Lubricant/Water Displacer | CE711FT |
| • (1) Tool Kit | IC73249A |
| • (1) Safety Goggles | ICSGCSK |
| • (1) Hearing Protector | CEHPCSK |

* (ght) Garden Hose Thread

Part Numbers:

CECSK14A

Tool Sling for CE101C Concrete Saw



The Cutters Edge Tool Sling is designed to work with all saws. The Tool Sling is adjustable to the height or positioning of the operator and hooks to itself rather than the saw by D-Rings and Snap Hooks on the Tool Sling for optimum comfort and ease of use.

Part Number:
CETS10

Srench Tool for CE101C Concrete Saw



All purpose adjustment and maintenance tool.

Part Number:
IC71152

CE101C Concrete Saw Air Filter Recharger Kit



The Concrete Saw Air Filter Recharger Kit provides complete Air Filter Service, including cleaning and new high tack filter oil for optimum engine performance and long life.

Part Number:
CE5050

Water Pump for CE101C Concrete Saw



This portable, quiet and powerful water pump delivers correct water pressure and flow to the CE101C Concrete Saw from any water source to cool and extend the life of the diamond chain and prevent concrete dust while cutting. The centrifugal clutch and brass impellers prevent cavitation and shuts off water flow automatically at idle. A carburetor primer bulb allows for easy and reliable starting. The unit is easy to maintain.

Part Number:
CE40100

Air Filter for CE101C Concrete Saw



Multi-Stage Air Filtration System is oil coated to repel water and helps create a tack barrier. A fine mesh nylon screen adds an additional barrier to particles for optimal engine performance and reduced maintenance.

Part Number:
IC73418

Spark Plug for CE101C Concrete Saw



Replacement spark plug easy to install with
Scrench Tool

Part Number:
CECJ7Y

Non-Aerosol Lubricant



This unique lubricant is designed specifically to lubricate and
displace water. Must be applied to saw bar and chain after
each use and cleaning.

Part Number:
CE711PT

The CE735R Rotary Rescue Saw combines a 73.5cc HEMI-HEAD Piston Engine with a compensating carburetor and a unique air entrainment filtration system to deliver remarkable cutting power in any position. A higher Transmission Gear Ratio (14" - 2.87:1 and 12" - 2.50:1) produces greater mechanical advantage over the cutting workload at any RPM. The CE735R comes standard with the exclusive Black Star Diamond Blade.

CE735R MULTI-CUT® Rotary Rescue Saw



CE735R Rotary Rescue Saw is available with 12" and 14" Black Star Diamond Blade.

Part Numbers:

CE735R14A
14" Saw with 2.87:1
Gear Ratio
CE735R12A
12" Saw with 2.50:1
Gear Ratio

CE735R Black Star Diamond Blade



The Black Star Diamond Blade cuts any material found at fire rescue sites, reduces gyroscopic effect and lasts up to 100 times longer than standard rotary saw blades. Black Star Diamond Blades have 1" Arbors.

20mm and 7/8" Arbor Spacers Available.

Part Numbers:

CEATDR12 (12")
CEATDR14 (14")
CEATDR16 (16")

CECAD120
20mm Spacers
CECAD178
7/8" Spacers

Vacuum Brazing utilizes a much thinner bonding material that creates a larger profile diamond cutting edge.

30% MORE
Exposed Diamond
Cutting Material



Electroplating requires a much thicker bonding material that covers up as much as 75% of the diamond cutting edge.



The exclusive Vacuum Brazing process utilizes a thinner bonding alloy to permanently fuse cutting diamonds to substrate yet leaves 30% more of the diamond's cutting face and edges exposed and results in faster, cooler cutting and significantly longer diamond cutting life.

MULTI-CUT® Rotary Rescue Saw Field Kit



Specifications:

Total Weight: 75 pounds

Dimensions: 34"L x 16"W x 17"H (inches)

The Cutters Edge MULTI-CUT® Rotary Rescue Saw Field Kit contains everything needed for any Rescue situation found at Fires, Building Collapses, Natural Disasters, Terrorist Attacks, Car, Bus, Train and Plane Accidents.

- (1) MULTI-CUT Rotary Rescue Saw (12" or 14") with Black Star Diamond Blade
- (1) 12" or 14" Black Star Diamond Blade (Spare)
- (1) 1.25 Gallon Fuel Container
- (1) 8 oz, 2-cycle Synthetic Oil Mix (100:1)
- (1) 3/4" x 75 ft. MYTI-FLO Woven Water Hose
- (1) Grease Gun
- (1) Grease Packet
- (1) Spark Plug
- (1) 735R Air Filter
- (1) 735R Pre-Filter Wrap
- (1) 735R Drive Belt
- (1) Water Kit
- (1) Tool Kit
- (1) Diamond Plate Aluminum Case with custom compartments and lockable Twist-Lock Closures

Part Number:

CE735RKIT14A
(14" Field Kit)

CE735RKIT12A
(12" Field Kit)

- CE735R12A (12")
- CE735R14A (14")
- CEATDR12 - 12"
- CEATDR14 - 14"
- CEW120
- CEATC08
- CEHOSE75x75
- 501911401
- 503621201
- CECJ7Y
- R38010-82581
- R38010-82311
- R38010-64130
- R80632
- RTOOLSA
- CERSC

Tool Sling for CE735R Rotary Rescue Saw



The Cutters Edge Adjustable Tool Sling will work on any brand or type of saw. The Tool Sling is adjustable to the height or positioning of the operator and hooks to itself rather than the saw being carried by D-Rings and Snap Hooks on the tool sling for maximum comfort and safety.

Part Number:

CETS10

Scrench Tool for MULTI-CUT CE735R Rotary Rescue Saw



All purpose adjustment and maintenance tool

Part Number:

R72320-91410

Spark Plug for CE735R Rotary Rescue Saw



Part Number:
CECJ6Y

Air Filter for CE735R Rotary Rescue Saw



A sealed, Multi-Stage Air Filter with 250 square inch surface area and a foam pre-wrap filter for maximum engine protection and lower maintenance.

Part Number:
R38010-82581

Pre-Wrap Filter for CE735R Rotary Rescue Saw Air Filter



Pre-filter protects air filter from particles to enhance protection of engine and reduce maintenance. Easy to clean and replace.

Part Number:
R38010-82311

Drive Belt for CE735R Rotary Rescue Saw



Part Number:
R38010-64130

Cutters Edge MULTI-CUT® Fire Rescue Saw Field Kit



Specifications:

Kit Container Dimensions: 41L x 15W x 14H (inches)

Total Kit Weight: 70 pounds

Includes everything needed for Fire Rescue Cutting in any circumstances.

Diamond Plate Aluminum Field Case with custom compartments to hold kit parts securely in place plus lockable Twist-Lock Closures. (CESCMCK)

Operation Maintenance Manuals and Warranty

- 1 MULTI-CUT® Fire Rescue Saw with BULLET® Chain and Tool-Less Guard/Depth Gauge 16" or 20" lengths
- Complete Tool Kit:
 - Grease Gun
 - Grease Packet
 - Air Filter
 - Pre-Wrap Filter
 - 1 Foam Filter Dressing for Air Filter and Pre-Filter
 - 1- 8oz 2-cycle Oil (100:1)
 - 1- CJ7Y Spark Plug
 - 1 Saw Sling Carry Strap
 - 1¼ Gallon Fuel Container
 - 1 BULLET® Chain (spare)
 - 2 Tree Cutting Chains
 - 3 Quarts Bar & Chain Oil
 - 2 Guide Bar Attachment Nuts

Part Numbers:

- CE2171MCKD6A
- CE2171MCKD8A
- CESCMCK
- CEOM2100
- CE2171RSD6A (16")
- CE2171RSD8A (20")
- 501911401
- 503621201
- CERU2100
- CEPW6571
- CEUFF104
- CEATCO8
- CECJTY
- CETS10
- CEW120
- CEBUL56A - 16"
- CEBUL66A - 20"
- CE27-56A - 16"
- CE27-66A - 20"
- CEABC01
- 503220001

CE101C Concrete Sawing Field Kit



Specifications:

Total Weight: 130 pounds

Dimensions: 45L x 19W x 19H (inches)

24-piece Field Kit includes everything needed for concrete cutting anywhere, using any water source available.

Kits contain 12" or 14" CE101C Concrete Saw
16" Concrete Saw Kit currently not available

Part Numbers:

- Diamond Plate Aluminum Case with dividers, pull-out tray and lockable Twist-Lock Closures CESCCSK
- 1 CE101C 14" or 16" Gasoline Powered Concrete Cutting Chainsaw with GCP Premium SealPro™ Diamond Chain CE101C14A (14")
CE101C16A (16")
- (1) CE 40-100 Water Pump CE40-100
- (1) ½" x 8 ft. Suction Hose CESH15X8
- (1) ½" Check Valve (Foot Valve) CEFV15
- (1) Hand Priming Pump CEHPP
- (1) ½" Thread Protector (nps) CETP15
- (1) 1½" (nps) Female x ¾" (ght)* Male Adapter/Thread Protector CEFM15X75
- (1) 1½" (nps) Female x 1½" (nst) Male Adapter CEFM15X15
- (1) ¾" x ¾" FHT Brass Hose to Hose Connector CEFF75X75
- (1) ¾" x 25 ft. 250 psi Myti-Flo Woven Hose CEHOSE75x25
- (1) ¾" x 75 ft. 250 psi Myti-Flo Woven Hose CEHOSE75X75
- (1) 2½" Female x ¾" (ght)* Male Adapter CEFGHT25X75
- (1) 1½" Female x ¾" (ght)* Male Adapter CEFGHT15X75
- 1" Female x ¾"(ght)* Male Adapter CEFGHT10X75
- (1) Hydrant Wrench CEHYD
- (1) 1¼ Gallon Fuel Container (UL Approved) CEW120
- (1) 3 Gallon Fuel Container (UL Approved) with 6 ft. Fuel Line Primer Bulb and Quick Connect Connectors, for up to 12 hours of Full Load Pump Operation CE620003-Container
CE180050 Fuel Line
- (1) 8 oz Bottle - Cutters Edge 2-cycle Oil Mix (makes 6 gallons of fuel) CEATC08
- (1) Air Filter Recharger Kit CE5050
- (1) Spray Can of Lubricant/Water Displacer CE711FT
- (1) Tool Kit IC73249A
- (1) Safety Goggles ICSGCSK
- (1) Hearing Protector CEHPCSK

* (ght) Garden Hose Thread

MULTI-CUT[®] Rotary Rescue Saw Field Kit



Specifications:

Total Weight: 75 pounds

Dimensions: 34"L x 16"W x 17"H (inches)

The Cutters Edge MULTI-CUT[®] Rotary Rescue Saw Field Kit contains everything needed for any Rescue situation found at Fires, Building Collapses, Natural Disasters, Terrorist Attacks, Car, Bus, Train and Plane Accidents.

- (1) MULTI-CUT Rotary Rescue Saw (12" or 14") with Black Star Diamond Blade
- (1) 12" or 14" Black Star Diamond Blade (Spare)
- (1) 1.25 Gallon Fuel Container
- (1) 8 oz, 2-cycle Synthetic Oil Mix (100:1)
- (1) 3/4" x 75 ft. MYTI-FLO Woven Water Hose
- (1) Grease Gun
- (1) Grease Packet
- (1) Spark Plug
- (1) 735R Air Filter
- (1) 735R Pre-Filter Wrap
- (1) 735R Drive Belt
- (1) Water Kit
- (1) Tool Kit
- (1) Diamond Plate Aluminum Case with custom compartments and lockable Twist-Lock Closures

Part Number:

CE735RKIT14A
(14" Field Kit)

CE735RKIT12A
(12" Field Kit)

CE735R12A (12")
CE735R14A (14")

CEATDR12 - 12"
CEATDR14 - 14"

CEW120

CEATC08

CEHOSE75x75

501911401

503621201

CECJ7Y

R38010-82581

R38010-82311

R38010-64130

R80632

RTOOLSA

CERSC

Cutters Edge Guide Bars For All MULTI-CUT® Fire Rescue Saws



High strength Steel Alloy Guide Bar
Available in 12", 16" and 20" lengths.

Part Numbers:
CE2063ST (20")
CE1663ST (16")
CE1263ST (12")

CE101C Concrete Saw Guide Bar



The internally water cooled guide bar provides longer life and smoother operation. Concrete Saw Guide Bars are available in 14" and 16" lengths.

Part Numbers:
IC71600
16" Guide Bar
IC70825
14" Guide Bar

Cutters Edge D8 Tool-Less Guard/Depth Gauge Kit For 2100 Series MULTI-CUT® Fire Rescue Saws



Cutters Edge D8 Tool-Less Guard/Depth Gauge installs and removes quickly and easily without tools and adjusts in seconds, even with gloves on. The Guard/Depth Gauge provides maximum operator safety and prevents cutting deeper than necessary.

Part Number:
CE2100-D8KITA (D8)
For 20" Guide Bar

Cutters Edge D6 Tool-Less Guard/Depth Gauge Kit For 2100 Series MULTI-CUT® Fire Rescue Saws



Cutters Edge D6 Tool-Less Guard/Depth Gauge installs and removes quickly and easily without tools and adjusts in seconds, even with gloves on. The Guard/Depth Gauge provides maximum operator safety and prevents cutting deeper than necessary.

Part Number:
CE2100-D6KITA (D6)
For 16" Guide Bar


Universal Guard Depth/Gauge



The Cutters Edge Universal Guard/Depth Gauge fits all brands, models and sizes of chainsaws and installs quickly and easily to enhance operator safety and increase the ease and speed of cutting. The Kit includes instructions, two cobalt drill bits and an Allen Wrench. Just drill two holes, screw in one screw and you are ready to cut.

Part Numbers:
CEUNIKITA

Cutters Edge Carbide Tipped BULLET® Chain



The Cutters Edge BULLET® Chain is designed specifically for Fire Department ventilation, forcible entry and rescue operations. It lasts up to 20 times longer than standard chains and certified tests show it is the safest chain made, virtually eliminating kickback.

Part Numbers:

- CEBUL66A (20" Chain Loop)
- CEBUL56A (16" Chain Loop)
- CEBUL48A (12" Chain Loop)




Cutters Edge BULLET® Chain is also available in Continuous Reels with the parts needed (pre-sets and tie straps) to make chain loops.

Part Numbers:

- CEBULX25A (25 Ft.)
- CEBULX50A (50 Ft.)
- CEBULX100A (100 Ft.)

Tools Needed for Making BULLET® Chain Loops from Rolls




Chain Spinner and BULLET® Chain Anvil and Chain Breaker

Part Numbers:

- CECS1025E (Chain Spinner)
- CECB1020E (Chain Breaker)
- CEANVBUL (BULLET® Chain Anvil)

Tree Cutting Chain




Tree Cutting Chain available in 12, 16 and 20" lengths.

.404 Pitch/.063 Gauge for Cutters Edge Saws to replace the BULLET® Chain for faster tree cutting.

Part Numbers:

- CE27-48A (12")
- CE27-56A (16")
- CE27-66A (20")

GCP SealPro™ Diamond Chain for CE101C Concrete Saw



The GCP SealPro™ Diamond Chain has the largest cutting diamond segment available for a gasoline powered chainsaw and cuts reinforced concrete up to 16-inches thick plus a wide range of materials like masonry brick, concrete block, natural stone and abrasive concrete.

Part Numbers:

- IC71694 (16" GCP SealPro™ Diamond Chain)
- IC71688 (14" GCP SealPro™ Diamond Chain)

CE735R Black Star Diamond Blade



The Black Star Diamond Blade cuts any material found at fire rescue sites, reduces gyroscopic effect and lasts up to 100 times longer than standard rotary saw blades. Black Star Diamond Blades have 1" Arbors.

20mm and 7/8" Arbor Spacers Available.

Part Numbers:

CEATDR12 (12")
CEATDR14 (14")
CEATDR16 (16")
CECAD120
(20mm Spacers)
CECAD178
(7/8" Spacers)

Tool Sling



The Cutters Edge Tool Sling is designed to work with all saws. The Tool Sling is adjustable to the height or positioning of the operator and hooks to itself rather than the saw by D-Rings and Snap Hooks on the Tool Sling for optimum comfort and ease of use.

Part Numbers:

CETS10

Spark Plug for CE2171/2165 MULTI-CUT® Fire Rescue Saws



Replacement spark plug easy to install with Srench Tool

Part Number:

CECJ7Y

Spark Plug for CE101C Concrete Saw



Replacement spark plug easy to install with Srench Tool

Part Number:

CECJ7Y

Spark Plug for CE735R Rotary Rescue Saw



Replacement spark plug easy to install with Srench Tool

Part Number:

CECJ6Y

Srench Tool For Cutters Edge MULTI-CUT® Fire Rescue Saws



All purpose adjustment and maintenance Tool for 2100 Series MULTI-CUT® Fire Rescue Saws.

Part Number:
501691701

Flat Blade

Srench Tool For Cutters Edge 600 & 2000 Series MULTI-CUT® Fire Rescue Chainsaws



All purpose adjustment and maintenance Tool for Older Series 600 and 2000 MULTI-CUT® Fire Rescue Saws.

Part Numbers:
CE2000-12DA

Allen Head Ball Driver

Srench Tool for CE101C Concrete Saw



All purpose adjustment and maintenance tool for all Cutters Edge CE101C Concrete Chainsaws.

Part Number:
IC71152

Srench Tool for MULTI-CUT CE735R Rotary Rescue Saw



All purpose adjustment and maintenance tool for CE735R Rotary Rescue Saw.

Part Number:
R72320-91410

Maintenance Wall Poster for 2100 Series MULTI-CUT® Fire Rescue Saws



32" x 48" Poster provides visual step-by-step maintenance procedures for proper maintenance of 2100 Series MULTI-CUT® Fire Rescue Saw. Poster is laminated to protect it when hung over cleaning repair and maintenance bench.

Maintenance Poster also available for 2000 Series Saws

Part Numbers:
CEPOSTER-2100

CEPOSTER-2000


Four-Stage Air Filter For All Cutters Edge MULTI-CUT[®] Fire Rescue Chainsaws



Cutters Edge exclusive Air Filtration System has 211.4 square inches of surface area, enabling Cutters Edge Fire Rescue Saws to run up to 12 times longer than other saws in the hot, smoky fireground conditions. Filters out particles less than 1 micron in size.

Part Number:
CERU2100


Pre-Filter Cover For 4-Stage Air Filter



Pre-filter goes over the Four-Stage Multi-Filter and is designed to stop larger particles and enhance effectiveness of main filter to protect engine and reduce maintenance.

Part Number:
CEPW6571

Air Filter for CE101C Concrete Saw



Multi-Stage Air Filtration System is oil coated to repel water and helps create a tack barrier. A fine mesh nylon screen adds an additional barrier to particles for optimal engine performance and reduced maintenance.

Part Number:
IC73418

Air Filter for CE735R Rotary Rescue Saw



A sealed, Multi-Stage Air Filter with 250 square inch surface area and a foam pre-wrap filter for maximum engine protection and lower maintenance.

Part Number:
R38010-82581

Pre-Wrap Filter for CE735R Rotary Rescue Saw



Pre-filter protects air filter from particles to enhance protection of engine and reduce maintenance. Easy to clean and replace.

Part Number:
R38010-82311

Drive Belt for CE735R Rotary Rescue Saw



Part Number:
R38010-64130

CE101C Concrete Saw Air Filter Recharger Kit



The Concrete Saw Air Filter Recharger Kit provides complete Air Filter Service, including cleaning and new high tack filter oil for optimum engine performance and long life.

Part Number:
CE5050

Water Pump for CE101C Concrete Saw



This portable, quiet and powerful water pump delivers correct water pressure and flow to the CE101C Concrete Saw from any water source to cool and extend the life of the diamond chain and prevent concrete dust while cutting. The centrifugal clutch and brass impellers prevent cavitation and shuts off water flow automatically at idle. A carburetor primer bulb allows for easy and reliable starting. The unit is easy to maintain.

Part Number:
CE40100

Cutters Edge Bar & Chain Oil



Cutters Edge High Tack, Anti-Sling and Anti-Corrosion Bar & Chain Oil is an all-season lubricant for saw bars and chain and is designed specifically for the harsh fireground environment. Provides superior lubrication and protections for all makes and models of chainsaws.

Part Number:
CEABC01
1 Quart Bottle of
Bar & Chain Oil
CEABC01CA
Case of 12 - 1 Quart
Plastic Bottles

Cutters Edge Synthetic 2-Cycle Oil (100:1)



A premium synthetic oil designed to provide superior lubrication and optimum performance for all Cutters Edge Fire Rescue Saws and all 2-cycle engines used in the Fire Rescue Industry. Also provides superior lubrication and performance for all makes and models of chainsaws. One 8-ounce bottle mixes 6 gallons of fuel.

Part Number:
CEATC08
8 ounce Plastic Bottle
CEATC08CA
Case of 12 - 8 ounce
Plastic Bottles of
Cutters Edge Synthetic
2-Cycle Oil

Non-Aerosol Lubricant



This unique lubricant is designed specifically to lubricate and displace water. Must be applied to saw bar and chain after each use and cleaning.

Part Number:
CE711PT

Cutters Edge Sawing Gloves



Tan Deerskin Leather with Black Trim and Adjustable Velcro Closure.
Available in S,M,L, XL (Specify)

Part Number:
CEGLOVE

Cutters Edge Logo Tee Shirts



All cotton T-Shirts feature Cutters Edge logo on the front and back. Available in White, Dark Blue and Gray in S, M, L, XL, XXL and XXXL. Specify size and color.

Part Number:
CETEE

Cutters Edge Logo Ball Cap



Adjustable and available in Dark Blue with Full-color Cutters Edge logo in S/M or L/XL. Specify size.

Part Number:
CECAP

Cutters Edge Knit Cap



One size fits all wool stretch cap available in Dark Blue and features Red Cutters Edge logo.

Part Number:
CEKCAP



West Coast Headquarters:

P.O. Box 846
3855 23rd Street
Baker City, Oregon 97814
Telephone: 541-524-9999
Fax: 541-524-9996
Email info@cuttersedge.com

www.cuttersedge.com